


Screw Driver Bits **OHMI**


Screw Driver Bits



V-05 $\phi 4$ mm drive



Hex-wave



Impact Sockets


Accessories

Point Size Selector


Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000448	V-05T T1x4x44(1.5x20)	T1	4	44	1.5	20	2
00000449	V-05T T1x4x64(1.5x20)	T1	4	64	1.5	20	4
00000450	V-05T T2x4x44(1.5x20)	T2	4	44	1.5	20	2
00000451	V-05T T2x4x64(1.5x20)	T2	4	64	1.5	20	4
00000452	V-05T T3x4x44(1.7x20)	T3	4	44	1.7	20	2
00000453	V-05T T3x4x64(1.7x20)	T3	4	64	1.7	20	4
00000454	V-05T T4x4x44(1.8x20)	T4	4	44	1.8	20	2
00000455	V-05T T4x4x64(1.8x20)	T4	4	64	1.8	20	4
00000456	V-05T T5x4x44(2x20)	T5	4	44	2	20	3
00000457	V-05T T5x4x64(2x20)	T5	4	64	2	20	4
00000458	V-05T T6x4x44(2.5x20)	T6	4	44	2.5	20	3
00000459	V-05T T6x4x64(2.5x20)	T6	4	64	2.5	20	5
00000460	V-05T T7x4x44(2.5x20)	T7	4	44	2.5	20	3
00000461	V-05T T7x4x64(2.5x20)	T7	4	64	2.5	20	5
00000462	V-05T T8x4x44(3x20)	T8	4	44	3	20	3
00000463	V-05T T8x4x64(3x20)	T8	4	64	3	20	5
*	V-05T T9x4x44(3x20)	T9	4	44	3	20	*
*	V-05T T9x4x64(3x20)	T9	4	64	3	20	*
00000466	V-05T T10x4x44(3x20)	T10	4	44	3	20	3
00000467	V-05T T10x4x64(3x20)	T10	4	64	3	20	5

Code * is custom made item.

V-05 $\phi 4$ mm drive



Hex-wave(tamper proof)




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00010365	V-05T T6Hx4x44(2.5x20)	T6H	4	44	2.5	20	3
00010366	V-05T T6Hx4x64(2.5x20)	T6H	4	64	2.5	20	5
00000468	V-05T T7Hx4x44(2.5x20)	T7H	4	44	2.5	20	3
00000469	V-05T T7Hx4x64(2.5x20)	T7H	4	64	2.5	20	5
00000470	V-05T T8Hx4x44(3x20)	T8H	4	44	3	20	3
00000471	V-05T T8Hx4x64(3x20)	T8H	4	64	3	20	5
*	V-05T T9Hx4x44(3x20)	T9H	4	44	3	20	*
*	V-05T T9Hx4x64(3x20)	T9H	4	64	3	20	*
00000474	V-05T T10Hx4x44(3x20)	T10H	4	44	3	20	3
00000475	V-05T T10Hx4x64(3x20)	T10H	4	64	3	20	5

Code * is custom made item.



Nut Setter




Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L3 (mm)	Weight (g)
00000691	V-05B H5x44	5	2	7	44	3.5	7	7
00000692	V-05B H5.5x44	5.5	2.2	8	44	3.5	8	9

Screw Driver Bits

Impact Sockets


Accessories

Point Size Selector




Screw Driver Bits **OHMI**

Screw Driver Bits

 **VH-4** ϕ 4mm drive

 **Phillips**




Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00001160	VH-4 No.1x4x40	No.1	4	40	3
00001161	VH-4 No.1x4x60	No.1	4	60	5
00001162	VH-4 No.1x4x80	No.1	4	80	7
00001163	VH-4 No.1x4x100	No.1	4	100	9
00001164	VH-4 No.1x4x120	No.1	4	120	11
00001166	VH-4 No.2x4x40	No.2	4	40	3
00001167	VH-4 No.2x4x60	No.2	4	60	5
00001168	VH-4 No.2x4x80	No.2	4	80	7
00001169	VH-4 No.2x4x100	No.2	4	100	9
00001170	VH-4 No.2x4x120	No.2	4	120	11
00001171	VH-4 No.2x4x150	No.2	4	150	14

Accessories

 **Phillips**




Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001137	VH-4 No.0x4x40(1.2x20)	No.0	4	40	1.2	20	2
00001138	VH-4 No.0x4x40(1.4x20)	No.0	4	40	1.4	20	2
00001139	VH-4 No.0x4x40(1.5x20)	No.0	4	40	1.5	20	2
00001142	VH-4 No.0x4x40(1.7x20)	No.0	4	40	1.7	20	2
00001145	VH-4 No.0x4x40(2x20)	No.0	4	40	2	20	2
00001150	VH-4 No.0x4x40(2.5x20)	No.0	4	40	2.5	20	3
00001140	VH-4 No.0x4x60(1.5x20)	No.0	4	60	1.5	20	4
00001143	VH-4 No.0x4x60(1.7x20)	No.0	4	60	1.7	20	4
00001146	VH-4 No.0x4x60(2x20)	No.0	4	60	2	20	4
00001151	VH-4 No.0x4x60(2.5x20)	No.0	4	60	2.5	20	4
00001141	VH-4 No.0x4x80(1.5x20)	No.0	4	80	1.5	20	6
00001144	VH-4 No.0x4x80(1.7x20)	No.0	4	80	1.7	20	6
00001147	VH-4 No.0x4x80(2x20)	No.0	4	80	2	20	6
00001152	VH-4 No.0x4x80(2.5x20)	No.0	4	80	2.5	20	6
00001148	VH-4 No.0x4x100(2x20)	No.0	4	100	2	20	8
00001153	VH-4 No.0x4x100(2.5x20)	No.0	4	100	2.5	20	8
00001149	VH-4 No.0x4x120(2x20)	No.0	4	120	2	20	10
00001154	VH-4 No.0x4x120(2.5x20)	No.0	4	120	2.5	20	10
00001155	VH-4 No.1x4x40(3x20)	No.1	4	40	3	20	3
00001156	VH-4 No.1x4x60(3x20)	No.1	4	60	3	20	5
00001157	VH-4 No.1x4x80(3x20)	No.1	4	80	3	20	7
00001158	VH-4 No.1x4x100(3x20)	No.1	4	100	3	20	9
00001159	VH-4 No.1x4x120(3x20)	No.1	4	120	3	20	10

Hexagon




VH-4 $\phi 4$ mm drive




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001188	VH-4X H1,27x4x60(3x20)	1.27	2	4	60	3	20	4
00001189	VH-4X H1,5x4x60(3x20)	1.5	3	4	60	3	20	5
00001190	VH-4X H2x4x60(3x20)	2	5	4	60	3	20	4
00001191	VH-4X H2,5x4x60(3x20)	2.5	6	4	60	3	20	5

Hex-wave




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001172	VH-4T T1x4x40(1,5x20)	T1	4	40	1.5	20	2
00001173	VH-4T T1x4x60(1,5x20)	T1	4	60	1.5	20	4
00001174	VH-4T T2x4x40(1,5x20)	T2	4	40	1.5	20	2
00001175	VH-4T T2x4x60(1,5x20)	T2	4	60	1.5	20	4
00001176	VH-4T T3x4x40(1,7x20)	T3	4	40	1.7	20	2
00001177	VH-4T T3x4x60(1,7x20)	T3	4	60	1.7	20	4
00001178	VH-4T T4x4x40(1,8x20)	T4	4	40	1.8	20	2
00001179	VH-4T T4x4x60(1,8x20)	T4	4	60	1.8	20	4
00001180	VH-4T T5x4x40(2x20)	T5	4	40	2	20	2
00001181	VH-4T T5x4x60(2x20)	T5	4	60	2	20	4
00001182	VH-4T T6x4x40(2,5x20)	T6	4	40	2.5	20	2
00001183	VH-4T T6x4x60(2,5x20)	T6	4	60	2.5	20	4
00001184	VH-4T T8x4x40(3x20)	T8	4	40	3	20	3
00001185	VH-4T T8x4x60(3x20)	T8	4	60	3	20	5
00001186	VH-4T T10x4x40(3x20)	T10	4	40	3	20	3
00001187	VH-4T T10x4x60(3x20)	T10	4	60	3	20	5

Nut Setter



Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L3 (mm)	Weight (g)
00001193	VH-4B H4x60	4	2	6	60	3	20	7
00001194	VH-4B H5x60	5	2.5	8	60	3.5	20	11
00001195	VH-4B H5.5x60	5.5	3.5	9	60	5.3	20	11
00001196	VH-4B H5.5x80	5.5	3.5	9	80	5.3	20	13




Screw Driver Bits **OHMI**

Screw Driver Bits

 **VH-5** ϕ 5mm drive

 **Phillips**




Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00001204	VH-5 No.1x5x60	No.1	5	60	8
00001205	VH-5 No.1x5x80	No.1	5	80	11
00001206	VH-5 No.1x5x100	No.1	5	100	14
00001207	VH-5 No.1x5x120	No.1	5	120	17
00001208	VH-5 No.1x5x150	No.1	5	150	22
00001209	VH-5 No.1x5x200	No.1	5	200	29
00001210	VH-5 No.2x5x60	No.2	5	60	8
00001211	VH-5 No.2x5x80	No.2	5	80	11
00001212	VH-5 No.2x5x100	No.2	5	100	14
00001213	VH-5 No.2x5x120	No.2	5	120	17
00001214	VH-5 No.2x5x150	No.2	5	150	22
00001215	VH-5 No.2x5x200	No.2	5	200	29

Accessories

 **Phillips**




Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001197	VH-5 No.0x5x60(2x25)	No.0	5	60	2	25	6
00001198	VH-5 No.0x5x60(2.5x25)	No.0	5	60	2.5	25	6
00001199	VH-5 No.0x5x80(2.5x25)	No.0	5	80	2.5	25	9
00001200	VH-5 No.0x5x100(2.5x25)	No.0	5	100	2.5	25	12
00001201	VH-5 No.1x5x60(3x30)	No.1	5	60	3	30	6
00001202	VH-5 No.1x5x80(3x30)	No.1	5	80	3	30	9
00001203	VH-5 No.1x5x100(3x30)	No.1	5	100	3	30	12

Hexagon




VH-5 φ5mm drive



Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001224	VH-5X H1.5x5x70(3x20)	H1.5	3	5	70	3	20	8
00001225	VH-5X H2x5x70(3x20)	H2	5	5	70	3	20	8
00001226	VH-5X H2.5x5x70(3x20)	H2.5	6	5	70	3	20	8
00001227	VH-5X H3x5x70	H3	8	5	70	—	—	9
00001228	VH-5X H4x5x70	H4	10	5	70	—	—	10
00001229	VH-5X H5x6x70	H5	15	6	70	—	—	12

Hex-wave




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00001216	VH-5T T5x5x60(2x20)	T5	5	60	2	20	6
00001217	VH-5T T5x5x80(2x20)	T5	5	80	2	20	9
00001218	VH-5T T6x5x60(2.5x20)	T6	5	60	2.5	20	6
00001219	VH-5T T6x5x80(2.5x20)	T6	5	80	2.5	20	10
00001220	VH-5T T8x5x60(3x20)	T8	5	60	3	20	7
00001221	VH-5T T8x5x80(3x20)	T8	5	80	3	20	10
00001222	VH-5T T10x5x60(3x20)	T10	5	60	3	20	7
00001223	VH-5T T10x5x80(3x20)	T10	5	80	3	20	10



Screw Driver Bits **OHMI**

Screw Driver Bits





Impact Sockets

Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L3 (mm)	Weight (g)
00001230	VH-5B H5x60	5	2.5	8	60	3.5	20	13
00001231	VH-5B H5.5x60	5.5	3.5	9	60	5.3	20	13
00001232	VH-5B H5.5x80	5.5	3.5	9	80	5.3	20	12
00001233	VH-5B H5.5x100	5.5	3.5	9	100	5.3	20	15
00001234	VH-5B H5.5x120	5.5	3.5	9	120	5.3	20	26
00001235	VH-5B H5.5x150	5.5	3.5	9	150	5.3	20	33
00001236	VH-5B H6x60	6	3.5	10	60	4.5	20	17
00001237	VH-5B H7x80	7	4	11	80	5.5	20	23
00001238	VH-5B H8x80	8	4.5	13	80	6	25	23
00001239	VH-5B H10x80	10	5.5	16	80	8	25	30


Accessories

Point Size Selector

V-14 5mm Hex drive



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000060	V-14 No.1x6x50	No.1	6	50	8
00000061	V-14 No.1x6x75	No.1	6	75	14
00000062	V-14 No.1x6x100	No.1	6	100	19
00000063	V-14 No.1x6x120	No.1	6	120	24
00000064	V-14 No.1x6x150	No.1	6	150	30
00000065	V-14 No.1x6x200	No.1	6	200	40
00000066	V-14 No.1x6x250	No.1	6	250	52
00000067	V-14 No.1x6x300	No.1	6	300	62
00000068	V-14 No.2x6x50	No.2	6	50	8
00000069	V-14 No.2x6x75	No.2	6	75	14
00000070	V-14 No.2x6x100	No.2	6	100	19
00000071	V-14 No.2x6x120	No.2	6	120	24
00000072	V-14 No.2x6x150	No.2	6	150	30
00000073	V-14 No.2x6x200	No.2	6	200	41
00000074	V-14 No.2x6x250	No.2	6	250	52
00000075	V-14 No.2x6x300	No.2	6	300	62
00000076	V-14 No.3x6x75	No.3	6	75	14
00000077	V-14 No.3x6x100	No.3	6	100	20



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000050	V-14 No.0x6x75(3x30)	No.0	6	75	3	30	9
00000051	V-14 No.0x6x100(3x30)	No.0	6	100	3	30	15
00000052	V-14 No.1x6x75(3.5x30)	No.1	6	75	3.5	30	10
00000053	V-14 No.1x6x100(3.5x30)	No.1	6	100	3.5	30	16
00000054	V-14 No.1x6x120(4x20)	No.1	6	120	4	20	22
00000056	V-14 No.2x6x75(3.5x30)	No.2	6	75	3.5	30	10
00010151	V-14 No.2x6x75(4.5x45)	No.2	6	75	4.5	45	9
00000057	V-14 No.2x6x100(3.5x30)	No.2	6	100	3.5	30	16
00010152	V-14 No.2x6x100(4.5x70)	No.2	6	100	4.5	70	13
00000058	V-14 No.2x6x120(4x20)	No.2	6	120	4	20	22
00010153	V-14 No.2x6x150(4.5x120)	No.2	6	150	4.5	120	19

Screw Driver Bits

Impact Sockets


Accessories

Point Size Selector



Screw Driver Bits **OHMI**


Screw Driver Bits



V-14 5mm Hex drive




Phillips(Magnetized)



Impact Sockets

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000216	V-14 No.0x6x75(2x20) MAG	No.0	6	75	2	20	11
00000218	V-14 No.1x6x60(2.6x20) MAG	No.1	6	60	2.6	20	8
00000219	V-14 No.1x6x60(2.8x20) MAG	No.1	6	60	2.8	20	8
00000220	V-14 No.1x6x75(2.6x30) MAG	No.1	6	75	2.6	30	9
00000221	V-14 No.1x6x75(2.8x30) MAG	No.1	6	75	2.8	30	9
00000226	V-14 No.2x6x60(3.2x20) MAG	No.2	6	60	3.2	20	8
00000227	V-14 No.2x6x60(4x20) MAG	No.2	6	60	4	20	9
00000228	V-14 No.2x6x75(3x30) MAG	No.2	6	75	3	30	10
00000229	V-14 No.2x6x75(3.2x30) MAG	No.2	6	75	3.2	30	10
00000230	V-14 No.2x6x75(4x30) MAG	No.2	6	75	4	30	11
00000231	V-14 No.2x6x100(3.2x30) MAG	No.2	6	100	3.2	30	15
00000232	V-14 No.2x6x100(4x30) MAG	No.2	6	100	4	30	16
00000233	V-14 No.2x6x120(3.2x30) MAG	No.2	6	120	3.2	30	20


Accessories



V-14W 5mm Hex drive




Double Ended Phillips




Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00000124	V-14W No.1x5x75	No.1	5	75	10
00000125	V-14W No.1x5x100	No.1	5	100	14
00000126	V-14W No.1x5x120	No.1	5	120	18
00000127	V-14W No.1x5x150	No.1	5	150	23
00000128	V-14W No.1x5x200	No.1	5	200	31
00000129	V-14W No.2x5x75	No.2	5	75	10
00000130	V-14W No.2x5x100	No.2	5	100	15
00000131	V-14W No.2x5x120	No.2	5	120	18
00000132	V-14W No.2x5x150	No.2	5	150	23
00000133	V-14W No.2x5x200	No.2	5	200	31

V-14 5mm Hex drive





Slotted




Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	Weight (g)
00000262	V-14M 0.9t6x51	0.9	6	51	8
00000263	V-14M 0.9t6x75	0.9	6	75	14
00000264	V-14M 0.9t6x100	0.9	6	100	19
00000265	V-14M 0.9t6x120	0.9	6	120	23
00000266	V-14M 0.9t6x150	0.9	6	150	33

Hexagon



(V-14X H6x7x100)




Code	Order No.	H (mm)	L3 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000551	V-14X H1.5x6x70(3x30)	1.5	3	6	70	3	30	8
00000552	V-14X H1.5x6x100(3x30)	1.5	3	6	100	3	30	15
00000553	V-14X H2x6x70(4x30)	2	5	6	70	4	30	9
00000554	V-14X H2x6x100(4x30)	2	5	6	100	4	30	16
00000555	V-14X H2.5x6x70	2.5	6	6	70	—	—	12
00000556	V-14X H2.5x6x100	2.5	6	6	100	—	—	18
00000557	V-14X H3x6x70	3	8	6	70	—	—	12
00000558	V-14X H3x6x100	3	8	6	100	—	—	18
00000559	V-14X H4x6x70	4	10	6	70	—	—	12
00000560	V-14X H4x6x100	4	10	6	100	—	—	19
00000561	V-14X H5x6x70	5	15	6	70	—	—	13
00000562	V-14X H5x6x100	5	15	6	100	—	—	19
00000563	V-14X H6x70	6	20	—	70	—	—	14
00000564	V-14X H6x7x100	6	20	7	100	—	—	23



Screw Driver Bits **OHMI**

Screw Driver Bits



V-14 5mm Hex drive



Hex-wave




Impact Sockets


Accessories

Point Size Selector

(T5-T25)




(T27)




Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000269	V-14T T5x6x75(2x15)	T5	6	75	2	15	11
00000270	V-14T T5x6x100(2x15)	T5	6	100	2	15	17
00000271	V-14T T6x6x75(2.5x15)	T6	6	75	2.5	15	12
00000272	V-14T T6x6x100(2.5x15)	T6	6	100	2.5	15	17
00000273	V-14T T7x6x75(2.5x15)	T7	6	75	2.5	15	12
00000274	V-14T T7x6x100(2.5x15)	T7	6	100	2.5	15	17
00000275	V-14T T8x6x75(3x15)	T8	6	75	3	15	12
00000276	V-14T T8x6x100(3x15)	T8	6	100	3	15	17
00000277	V-14T T9x6x75(3.3x15)	T9	6	75	3.3	15	12
00000278	V-14T T9x6x100(3.3x15)	T9	6	100	3.3	15	17
00000279	V-14T T10x6x75(3.6x15)	T10	6	75	3.6	15	12
00000280	V-14T T10x6x100(3.6x15)	T10	6	100	3.6	15	18
00000282	V-14T T15x6x75(4.3x15)	T15	6	75	4.3	15	13
00000283	V-14T T15x6x100(4.3x15)	T15	6	100	4.3	15	18
00000284	V-14T T20x6x75(5x15)	T20	6	75	5	15	13
00000285	V-14T T20x6x100(5x15)	T20	6	100	5	15	19
00000286	V-14T T20x6x150(5x15)	T20	6	150	5	15	30
00000287	V-14T T25x6x75(5.5x15)	T25	6	75	5.5	15	14
00000288	V-14T T25x6x100(5.5x15)	T25	6	100	5.5	15	19
00000289	V-14T T25x6x150(5.5x15)	T25	6	150	5.5	15	30
00000290	V-14T T27x6x75	T27	6	75	—	—	14
00000291	V-14T T27x6x100	T27	6	100	—	—	19

V-14 5mm Hex drive




Hex-wave(tamper proof)



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
*	V-14T T7Hx6x75(2.5x15)	T7H	6	75	2.5	15	*
*	V-14T T7Hx6x100(2.5x15)	T7H	6	100	2.5	15	*
00000292	V-14T T8Hx6x75(3x15)	T8H	6	75	3	15	12
00000293	V-14T T8Hx6x100(3x15)	T8H	6	100	3	15	17
*	V-14T T9Hx6x75(3.3x15)	T9H	6	75	3.3	15	*
*	V-14T T9Hx6x100(3.3x15)	T9H	6	100	3.3	15	*
00000294	V-14T T10Hx6x75(3.6x15)	T10H	6	75	3.6	15	12
00000295	V-14T T10Hx6x100(3.6x15)	T10H	6	100	3.6	15	18
00000296	V-14T T15Hx6x75(4.3x15)	T15H	6	75	4.3	15	13
00000297	V-14T T15Hx6x100(4.3x15)	T15H	6	100	4.3	15	18
00000298	V-14T T20Hx6x75(5x15)	T20H	6	75	5	15	13
00000299	V-14T T20Hx6x100(5x15)	T20H	6	100	5	15	18
00000300	V-14T T25Hx6x75(5.5x15)	T25H	6	75	5.5	15	14
00000301	V-14T T25Hx6x100(5.5x15)	T25H	6	100	5.5	15	19
00000302	V-14T T27Hx6x75	T27H	6	75	—	—	14
00000303	V-14T T27Hx6x100	T27H	6	100	—	—	19

Code * is custom made item.

External Hex-wave




Code	Order No.	Point Size	L2 (mm)	D1 (mm)	L1 (mm)	Weight (g)
00000305	V-14E E4x100	E4	3	6	100	19
00000307	V-14E E5x100	E5	3.5	7	100	20



Screw Driver Bits **OHMI**

Screw Driver Bits




V-14 5mm Hex drive




Nut Setter

Impact Sockets



(V-14B H5.5x150)




Accessories


Point Size Selector

Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L3 (mm)	Weight (g)
00000592	V-14B H5x100	5	2.5	8	100	3.5	30	21
00000593	V-14B H5.5x70	5.5	3.5	9	70	4	17	14
00000594	V-14B H5.5x100	5.5	3.5	9	100	4	30	21
00001369	V-14B H5.5x150	5.5	3.5	9	150	5.3	19	37
00000595	V-14B H6x100	6	3.5	10	100	4.5	30	23
00000596	V-14B H7x70	7	4	11	70	5.5	17	16
00000597	V-14B H7x100	7	4	11	100	5.5	30	23
00000598	V-14B H8x70	8	4.5	13	70	6	17	20
00000599	V-14B H8x100	8	4.5	13	100	6	30	30
00000601	V-14B H10x70	10	5.5	16	70	8	17	25
00000602	V-14B H10x100	10	5.5	16	100	8	30	37
00000603	V-14B H11x100	11	6	16	100	9	30	34
00000604	V-14B H12x100	12	7	18	100	10	30	43
00000605	V-14B H13x100	13	7.5	20	100	10	30	48
00000606	V-14B H14x100	14	7.5	20	100	11	30	49

V-14 5mm Hex drive



Nut Setter(Fixed Magnet)



*We need A size for manufacturing nut setter(Fixed Magnet).
Please jump to P58.


Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	A (mm)	Weight (g)
*	V-14B H5x100 MAG	5	2.5	8	100	within 2.5	*
*	V-14B H5.5x70 MAG	5.5	3.5	9	70	within 3.5	*
*	V-14B H5.5x100 MAG	5.5	3.5	9	100	within 3.5	*
*	V-14B H5.5x150 MAG	5.5	3.5	9	150	within 3.5	*
*	V-14B H6x100 MAG	6	3.5	10	100	within 3.5	*
*	V-14B H7x70 MAG	7	4	11	70	within 4	*
*	V-14B H7x100 MAG	7	4	11	100	within 4	*
*	V-14B H8x70 MAG	8	4.5	13	70	within 4.5	*
*	V-14B H8x100 MAG	8	4.5	13	100	within 4.5	*
*	V-14B H10x70 MAG	10	5.5	16	70	within 5.5	*
*	V-14B H10x100 MAG	10	5.5	16	100	within 5.5	*
*	V-14B H12x100 MAG	12	7	18	100	within 7	*
*	V-14B H13x100 MAG	13	7.5	20	100	within 7.5	*
*	V-14B H14x100 MAG	14	7.5	20	100	within 7.5	*

Code * is custom made item.



Screw Driver Bits **OHMI**


Screw Driver Bits



V-14 5mm Hex drive



Nut Setter(Slide Magnet)



Impact Sockets


Accessories

Point Size Selector


Code	Order No.	H (mm)	L2 (mm)	D1 (mm)	L1 (mm)	L3 (mm)	Weight (g)
*	V-14B H5.5x75 SM	5.5	3.5	9	75	13	*
*	V-14B H5.5x100 SM	5.5	3.5	9	100	13	*
*	V-14B H6x75 SM	6	3.5	10	75	13	*
*	V-14B H6x100 SM	6	3.5	10	100	13	*
*	V-14B H7x75 SM	7	4	11	75	13	*
*	V-14B H7x100 SM	7	4	11	100	13	*
*	V-14B H8x75 SM	8	4.5	13	75	13	*
*	V-14B H8x100 SM	8	4.5	13	100	13	*
*	V-14B H9x75 SM	9	5	13	75	13	*
*	V-14B H9x100 SM	9	5	13	100	13	*
*	V-14B H10x75 SM	10	5.5	16	75	17	*
*	V-14B H10x100 SM	10	5.5	16	100	22	*
*	V-14B H12x75 SM	12	7	18	75	17	*
*	V-14B H12x100 SM	12	7	18	100	22	*
*	V-14B H13x75 SM	13	7.5	20	75	17	*
*	V-14B H13x100 SM	13	7.5	20	100	22	*
*	V-14B H14x75 SM	14	7.5	20	75	17	*
*	V-14B H14x100 SM	14	7.5	20	100	22	*

Code * is custom made item.

V-17 6.35mm Hex drive



Phillips



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000084	V-17 No.1x6.35x23	No.1	6.35(hex)	23	—	4
00000085	V-17 No.1x6.35x30	No.1	6.35(hex)	30	—	6
00010172	V-17 No.1x6.35x40	No.1	6.35(hex)	40	—	9
00000090	V-17 No.1x7x50	No.1	7	50	—	12
00000091	V-17 No.1x7x75	No.1	7	75	—	19
00000092	V-17 No.1x7x100	No.1	7	100	—	27
00000093	V-17 No.1x7x120	No.1	7	120	—	33
00000094	V-17 No.1x7x150	No.1	7	150	—	42
00000095	V-17 No.1x7x200	No.1	7	200	—	56
*	V-17 No.1x7x250	No.1	7	250	—	*
*	V-17 No.1x7x300	No.1	7	300	—	*
00000086	V-17 No.2x6.35x23	No.2	6.35(hex)	23	—	4
00000087	V-17 No.2x6.35x30	No.2	6.35(hex)	30	—	6
00000088	V-17 No.2x6.35x40	No.2	6.35(hex)	40	—	9
00000098	V-17 No.2x7x50 N	No.2	7	50	N	12
00000099	V-17 No.2x7x50 Y	No.2	7	50	Y	12
00000100	V-17 No.2x7x75 N	No.2	7	75	N	19
00000101	V-17 No.2x7x75 Y	No.2	7	75	Y	19
00000103	V-17 No.2x7x100 N	No.2	7	100	N	27
00000104	V-17 No.2x7x100 Y	No.2	7	100	Y	27
00000105	V-17 No.2x7x120	No.2	7	120	—	33
00000106	V-17 No.2x7x150 N	No.2	7	150	N	42
00000107	V-17 No.2x7x150 Y	No.2	7	150	Y	42
00000108	V-17 No.2x7x200	No.2	7	200	—	56
00000109	V-17 No.2x7x250	No.2	7	250	—	71
00000110	V-17 No.2x7x300	No.2	7	300	—	86
00000089	V-17 No.3x6.35x30	No.3	6.35(hex)	30	—	6
00000111	V-17 No.3x7x50	No.3	7	50	—	12
00000112	V-17 No.3x7x75	No.3	7	75	—	20
00000113	V-17 No.3x7x100	No.3	7	100	—	27
00000114	V-17 No.3x7x120	No.3	7	120	—	33
00000115	V-17 No.3x7x150	No.3	7	150	—	42
00000116	V-17 No.3x7x200	No.3	7	200	—	57
00000117	V-17 No.3x7x250	No.3	7	250	—	72
00000118	V-17 No.3x7x300	No.3	7	300	—	87

.....Hardness.....
Hard...Y
Normal...N


Code * is custom made item.

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.




Screw Driver Bits **OHMI**

Screw Driver Bits



V-17 6.35mm Hex drive




V-32 6.35mm Hex drive
Usable as both V-17 & V-21

Impact Sockets



Phillips

(V-17 No. 0x6.35x50 (2x20), V-16




Accessories


Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000078	V-17 No.0x6.35x50(2x20)	No.0	6.35(hex)	50	2	20	8
00000034	V-16 No.0x6.35x50(3.8x28)	No.0	6.35(hex)	50	3.8	28	7
00000079	V-17 No.0x7x75(3x30)	No.0	7	75	3	30	13
00000035	V-16 No.1x6.35x50(3.8x28)	No.1	6.35(hex)	50	3.8	28	7
00000080	V-17 No.1x7x75(3.5x30)	No.1	7	75	3.5	30	14
00000036	V-16 No.2x6.35x50(3.8x28)	No.2	6.35(hex)	50	3.8	28	7
00000081	V-17 No.2x7x75(3.5x30)	No.2	7	75	3.5	30	14
00000082	V-17 No.2x7x75(4.5x30)	No.2	7	75	4.5	30	15
00010173	V-32 No.2x7x75(4.5x45)	No.2	7	75	4.5	45	12
00000083	V-17 No.2x7x100(4.5x30)	No.2	7	100	4.5	30	23
00010174	V-32 No.2x7x100(4.5x70)	No.2	7	100	4.5	70	15
00010175	V-32 No.2x7x150(4.5x120)	No.2	7	150	4.5	120	21

V-17 6.35mm Hex drive



Phillips(Magnetized)



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
00000234	V-17 No.0x7x75(1.4x20) MAG	No.0	7	75	1.4	20	15
00000235	V-17 No.0x7x75(2x20) MAG	No.0	7	75	2	20	15
00000236	V-17 No.1x7x75(2.3x20) MAG	No.1	7	75	2.3	20	15
00000237	V-17 No.1x7x75(3.2x30) MAG	No.1	7	75	3.2	30	14
00000238	V-17 No.2x7x75(3x30) MAG	No.2	7	75	3	30	14
00000239	V-17 No.2x7x75(3.2x30) MAG	No.2	7	75	3.2	30	14

Screw Driver Bits

Impact Sockets


Accessories

Point Size Selector



Screw Driver Bits **OHMI**



Screw Driver Bits



V-17W 6.35mm Hex drive



Double Ended Phillips



Impact Sockets

Accessories


Point Size Selector

Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Hardness	Weight (g)
00000136	V-17W No.1x6.35x50	No.1	6.35	50	—	10
00000137	V-17W No.1x6.35x75	No.1	6.35	75	—	17
00000138	V-17W No.1x6.35x100	No.1	6.35	100	—	23
00000140	V-17W No.1x6.35x150	No.1	6.35	150	—	37
00000141	V-17W No.1x6.35x200	No.1	6.35	200	—	51
00000142	V-17W No.2x6.35x50 N	No.2	6.35	50	N	10
00000143	V-17W No.2x6.35x50 Y	No.2	6.35	50	Y	10
00000144	V-17W No.2x6.35x75 N	No.2	6.35	75	N	17
00000145	V-17W No.2x6.35x75 Y	No.2	6.35	75	Y	17
00000146	V-17W No.2x6.35x100 N	No.2	6.35	100	N	24
00000147	V-17W No.2x6.35x100 Y	No.2	6.35	100	Y	24
00000148	V-17W No.2x6.35x120 N	No.2	6.35	120	N	29
00010176	V-17W No.2x6.35x120 Y	No.2	6.35	120	Y	29
00000149	V-17W No.2x6.35x150 N	No.2	6.35	150	N	37
00000150	V-17W No.2x6.35x150 Y	No.2	6.35	150	Y	37
00000151	V-17W No.2x6.35x200	No.2	6.35	200	—	50
00000152	V-17W No.2x6.35x250	No.2	6.35	250	—	63
00000153	V-17W No.2x6.35x300	No.2	6.35	300	—	76
00000154	V-17W No.3x6.35x50	No.3	6.35	50	—	11
00000155	V-17W No.3x6.35x75	No.3	6.35	75	—	17
00000156	V-17W No.3x6.35x100	No.3	6.35	100	—	24
00000158	V-17W No.3x6.35x150	No.3	6.35	150	—	37
00000159	V-17W No.3x6.35x200	No.3	6.35	200	—	51
00000160	V-17W No.3x6.35x250	No.3	6.35	250	—	64
00000161	V-17W No.3x6.35x300	No.3	6.35	300	—	78


.....Hardness.....
Hard...Y
Normal...N

*Regarding the items having two kinds of hardness, we sell hardness "N" if there is no instruction when you order.

V-17W 6.35mm Hex drive




Double Ended Phillips(FVtype)



Code	Order No.	Point Size	D1 (mm)	L1 (mm)	Weight (g)
00002669	V-17W No.2x6,35x50 FV	No.2	6.35	50	10
00002219	V-17W No.2x6,35x75 FV	No.2	6.35	75	17
00002218	V-17W No.2x6,35x100 FV	No.2	6.35	100	24
00002220	V-17W No.2x6,35x150 FV	No.2	6.35	150	37
00002221	V-17W No.2x6,35x200 FV	No.2	6.35	200	50



Slotted



Code	Order No.	t (mm)	D1 (mm)	L1 (mm)	D2 (mm)	L2 (mm)	Weight (g)
*	V-17M 0.4t x 6.35x50(2.5x28)	0.4	6.35(hex)	50	2.5	28	*
*	V-17M 0.5t x 6.35x50(3x28)	0.5	6.35(hex)	50	3	28	*
00000268	V-16M 0.6t x 6.35x50(3.8x28)	0.6	6.35(hex)	50	3.8	28	7
00000246	V-17M 0.7t x 7x50	0.7	7	50	—	—	12
00000247	V-17M 0.9t x 7x50	0.9	7	50	—	—	12
00000248	V-17M 1.0t x 7x50	1.0	7	50	—	—	12
00000250	V-17M 1.0t x 7x75	1.0	7	75	—	—	19
00000251	V-17M 1.0t x 7x100	1.0	7	100	—	—	27
00000252	V-17M 1.0t x 7x120	1.0	7	120	—	—	33
00000253	V-17M 1.0t x 7x150	1.0	7	150	—	—	42
00000254	V-17M 1.0t x 7x200	1.0	7	200	—	—	57

Code * is custom made item.

Screw Driver Bits

Impact Sockets

Accessories

Point Size Selector